

CruzPro Gauges and Instruments		<h1 style="color: red;">2024</h1>		
		2024 Suggested Retail Price list USA US\$	2024 Suggested Retail Price List NZ/AU EX GST NZ\$	2024 Price List NZ including GST NZ\$
A-60	Accurate low cost Digital Ammeter, programmable shunt size. NMEA 0183 serial data output.	\$ 108.93	\$153.43	\$176.44
AM-60	Learns sender resistance, easy to calibrate, individual limit alarms for Port/Stbd. NMEA 0183 serial data output or External Alarm output.	\$ 238.39	\$335.76	\$386.13
ATB120A	Active transducer, bronze thru-hull 450 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 271.75	\$382.75	\$440.16
ATB120B	Active transducer, bronze thru-hull, 1000 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 314.67	\$443.19	\$509.67
ATB120AT	Active transducer, bronze thru-hull, 450 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 314.67	\$443.19	\$509.67
ATB120BT	Active transducer, bronze thru-hull, 1000 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 357.59	\$503.64	\$579.19
ATBR120A	Active transducer, retractable bronze thru-hull 450 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 278.90	\$392.81	\$451.73
ATBR120B	Active transducer, bronze thru-hull, 1000 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 321.81	\$453.26	\$521.25
ATBR120AT	Active retractable transducer, bronze thru-hull, 450 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 321.81	\$453.26	\$521.25
ATBR120BT	Active retractable transducer, bronze thru-hull, 1000 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 364.73	\$513.71	\$590.76
ATT120A	Active transducer, transom mount, 450 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 185.91	\$261.85	\$301.12
ATT120B	Active transducer, transom mount, 1000 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 228.83	\$322.30	\$370.64
ATT120AT	Active transducer, transom mount, 450 foot depth version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050 amps	\$ 228.83	\$322.30	\$370.64
ATT120BT	Active transducer, transom mount, 1000 foot depth version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050 amps	\$ 271.75	\$382.75	\$440.16
ATU120A	Active transducer, thru-hull 450 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 200.22	\$282.00	\$324.30
ATU120B	Active transducer, thru-hull, 1000 foot depth version with 30' cable. Outputs standard \$SDDBT & \$SDDPT NMEA 0183 sentences. 12VDC @ .050 amps	\$ 243.14	\$342.45	\$393.81
ATU120AT	Active transducer, thru-hull, 450 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 243.14	\$342.45	\$393.81
ATU120BT	Active transducer, thru-hull, 1000 foot depth/temperature version with 30' cable. Outputs \$SDDBT, \$SDDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A	\$ 286.06	\$402.89	\$463.33
BWA-20	Runs for 2 years on 9V alkaline battery. 85db Alarm. Electronic Float.	\$ 134.82	\$189.88	\$218.36
CC-10/12	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times.	\$ 81.68	\$115.05	\$132.31
CC-10/24	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times.	\$ 108.93	\$153.43	\$176.44
CC-20	Sophisticated Charge Controller. Three LEDs. For wet or gel Bat. Adjustable output. 8 amps.	\$ 108.93	\$153.43	\$176.44
CC-30	Sophisticated Charge Controller. Three LEDs. For wet or gel Bat. Adjustable output. 20 amps.	\$ 204.31	\$287.76	\$330.92
CC-35	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times. LED indicators. Automatic load disconnect if Battery voltage drops too low. Three Stage voltage regulator (Bulk, Absorption, Float)	\$ 177.06	\$249.38	\$286.79
CH-55	Low cost chain counter, tells you how much chain is out & windlass battery voltage.	\$ 272.43	\$383.71	\$441.27
CH-60	Intelligent chain counter, tells you how much chain is out, displays windlass battery voltage, slows windlass, NMEA 0183 data output, etc.	\$ 463.19	\$652.38	\$750.24
CH-110	Intelligent chain counter, tells you how much chain is out, slows windlass NMEA 0183 etc. Large LCD, buttons.	\$ 626.68	\$882.65	\$1,015.05
CS-60	Four electronic switches that can be programmed to turn ON and OFF at multiple times of the day. Built-in digital clock.	\$ 190.24	\$267.95	\$308.14
CT-60	Intelligent 12/24 Clock, Watch/Countdown timers with 8 built in alarms. NMEA 0183 Data output. Auto time-set when GPS time data available.	\$ 136.18	\$191.81	\$220.58
D-60	Accurate Compact to 1000 Ft/ 300 meters with shallow and deep Alarms, anchor drag alarm, keel offset. Mounts in standard 52mm round hole.	\$ 177.06	\$249.38	\$286.79

D-110	Compact to 1000 Ft/ 300 meters with shallow and deep Alarms, anchor drag alarm, keel offset. NMEA 0183 output. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	\$ 313.31	\$441.28	\$507.47
DI-60/8	Intelligent Dimmer / Controller with Instant On / Off. Night/Day light sensor optionally available.	\$ 122.56	\$172.62	\$198.51
DI-60/16	Intelligent Dimmer / Controller with Instant On / Off. Night/Day light sensor optionally available.	\$ 149.81	\$211.00	\$242.65
EFS-10/12	Bilge Pump Controller with Probe & built in Alarms 12VDC. Keeps track of how many times activated.	\$ 177.06	\$249.38	\$286.79
EFS-10/24	Bilge Pump Controller with Probe & built in Alarms 24VDC. Keeps track of how many times activated.	\$ 217.93	\$306.95	\$352.99
EFS-20/12	Intelligent Pump Controller with Probe & Alarm 12 VDC. Dual pumps for redundancy. Keeps track of number of activations.	\$ 217.93	\$306.95	\$352.99
EFS-20/24	Intelligent Pump Controller with Probe & Alarm 24 VDC. Dual pumps for redundancy. Keeps track of number of activations.	\$ 258.81	\$364.52	\$419.20
EH55	Low cost engine hours gauge shows engine hours from 000.0 hours to 9999 hours. Works on both 12V and 24V systems. Waterproof front.	\$ 108.93	\$153.43	\$176.44
EH60	Professional engine hours gauge shows engine hours, Elapsed Trip time and engine settable maintenance alarm. 5 level backlighting with external backlight ON/OFF control. NMEA 0183 data output. Engine hours can be preset for older existing engines. Works on both 12V and 24V systems. Waterproof front.	\$ 136.18	\$191.81	\$220.58
ER-1	10 amp relay with both Normally Open and Normally Closed relay contacts. Power supply of +10 to +30 VDC. Can be driven with a 0 to +5V signal.	\$ 71.46	\$100.65	\$115.75
ETM-20	Low Cost Protection for Engine and Exhaust. User settable alarm temperature.	\$ 136.18	\$191.81	\$220.58
F-60	Low cost Digital Fuel Gauge. High/Low alarms, works with all standard American and European fuel senders. NMEA 0183 serial data output.	\$ 142.99	\$201.40	\$231.61
FU-60	Clever Fuel Gauge Learns Tank. Displays Gallons / Litres or % plus consumption rate, Time-To-Go features, with Alarm. NMEA 0183 output. Very accurate.	\$ 271.75	\$382.75	\$440.16
GD-20B	Multi-level sensitivity settings with built in Alarm. Gas solenoid control. Comes complete with one sensor. Can handle two sensors.	\$ 257.44	\$362.60	\$416.98
GD-55	Low Cost No Fills Protection	\$ 171.61	\$241.70	\$277.95
GPS-2	GPS with antenna and mount. Has GPS NMEA 0183 output and analog speed pulse output. 10M cable.	\$ 198.95	\$280.21	\$322.25
HA-60	Digital heel angle monitor, -50 deg to +50 deg. Internal sensor - accurate to +/-1 degree. Outputs NMEA 0183 \$YXXDR,A sentence or external alarm output.	\$ 343.29	\$483.51	\$556.03
HY-60	Digital hydraulic pressure gauge for 4-20 mA senders up to 10,000 psi in 16 ranges. Outputs NMEA 0183 data or external alarm output.	\$ 245.19	\$345.34	\$397.14
LA-20B	MultiAlarm with five inputs. Very Loud 105db. Flashes Spreader lights up to 8 amps.	\$ 122.57	\$172.63	\$198.52
MaxDS110	Multi-function depth/speed instrument with 3 digital displays and two bar charts. Depth, boat speed, sea water temperature, trip and total logs, race timers and time-of-day data. 12/24VDC operation. Variety of transducers available. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	\$ 411.43	\$579.48	\$666.41
MaxRp110	User configurable NMEA 0183 data repeater instrument with 3 digital displays and two bar charts displays any NMEA 0183 data such as Depth, Speed, GPS bearing to Waypoint, etc (over 5800 sentences). 12/24VDC operation. Configuration software compatible with Win98, WinXP, Win2K and Vista. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons, user settable High and Low alarms.	\$ 399.44	\$562.59	\$646.98
MaxVu110	User configurable multi-function instrument with 3 digital displays and two bar charts displays 34 different functions such as Depth, Speed, Engine Monitoring, Electrical Monitoring, Fuel and Tankage, 4 channel NMEA repeater, etc. Works with both American and European engine, fuel and tankage senders. 12/24VDC operation. Configuration software compatible with Win98, WinXP, Win2K and Vista. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	\$ 888.24	\$1,251.05	\$1,438.70
NC-20/4	Connect multiple Gauges (or other NMEA instruments) to a Computer's serial input port.	\$ 245.19	\$345.34	\$397.14
NC-20/8	Connect multiple Gauges (or other NMEA instruments) to a Computer's serial input port.	\$ 331.03	\$466.24	\$536.17
OP-60	Unique, Low and High Pressure Alarms. NMEA 0183 Data Output.Preprogrammed for popular senders from VDO, Teleflex, Faria, etc.	\$ 149.81	\$211.00	\$242.65
PcFF-80	Multi Function dual frequency 50kHz/2000kHz Fishfinder / Sounder for Microsoft Windows98, XP, 2000. Included is 50/200kHz depth transducer /w temperature sensor, interface box and Windows Software CD. USB and RS232 comms.	\$ 926.44	\$1,304.85	\$1,500.57
PR-60	Low cost Digital Pressure Gauge. High/Low alarms, works with all standard American and European senders. NMEA 0183 serial data output.	\$ 136.18	\$191.81	\$220.58
PY-60	Low Cost Pyrometer -20 deg C to 1100 deg C. Complete with K-type thermocouple. NMEA 0183 data output.	\$ 272.43	\$383.71	\$441.27
RH-60	Accurate Engine RPM Monitor with built in setable Alarms, max RPM memory, engine hours, elapsed trip time. NMEA 0183 data output.	\$ 272.43	\$383.71	\$441.27
RH-110	Accurate Engine RPM Monitor with built in setable Alarms, max RPM memory, engine hours, elapsed trip time. NMEA 0183 data output. 110mm, large LCD, buttons.	\$ 340.56	\$479.66	\$551.61
RP-60	Monitors up to Four separate data channels. 210 built-in NMEA sentences pre-programmed. Learns new sentences from IBM PC.	\$ 272.43	\$383.71	\$441.27
RP-110	Monitors up to Four separate data channels. 210 built-in NMEA sentences pre-programmed. Learns new sentences from IBM PC. 110mm, large LCD, buttons.	\$ 354.18	\$498.85	\$573.68
SA-20	Cost Effective Security for your Boat. Includes 2 reed and one pressure sensing switches. Multiple security codes for electricians, brokers etc.	\$ 232.92	\$328.06	\$377.27

SAR-20	Low Cost Intelligent 4 Stage Smart Alternator Regulator. 12 and 24V operation. Lead acid wet and gel battery settings. Temperature probe included.	\$ 340.56	\$479.66	\$551.61
SAR-80	Premium 4 Stage Smart Alternator Regulator. 12/24V operation. Lead acid and gel battery settings. Temperature probe for battery provided, BOL-1 temperature probe for alternator optional. NMEA 0183 output and NMEA 0183 input capability (can use VAH30/VAH60, VAH35/VAH65, VAH110 as data source to control absorption stage charging).	\$ 408.68	\$575.61	\$661.95
SB-2	The SB2 allows a CruzPro gauge (FU30/FU60, TL25/TL55, OP30/OP60, etc.) and one existing analog gauge to share a single station 10-180 ohm or 240 -33 ohm sender. Makes adding a digital gauge to an existing analog set-up very easy. One SB2 will buffer two separate senders (e.g. an oil pressure and water temperature sender, etc.).	\$ 95.31	\$134.24	\$154.37
SBS-30	The SBS-30 is a solid state voltage sensitive relay that parallels a second battery when the voltage of the first battery is higher and disconnects them when the voltage of the first battery is lower. Works with two 12V or two 24V batteries. Charges up to 30 amps with internal thermal shutdown protection.	\$ 103.20	\$145.35	\$167.15
SLT-60	Low Cost Trip Computer, with Temperature, and Race elapsed time Timmers. NMEA 0183 data output. Variety of transducers available. 110 mm, Large LCD, buttons.	\$ 163.43	\$230.19	\$264.72
SLT-110	Speed /Log with Temperature, and Race/Elapsed time Timers. NMEA 0183 data output. Variety of transducers available. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	\$ 258.81	\$364.52	\$419.20
SOG1	The SOG1 module converts a GPS NMEA 0183 sentence (\$GPRMC) to a analog paddlewheel signal that can be connected to a standard speed log. 0.01 knot resolution from 0.00 knots to 60.00 knots. No transducer/holes required in the boat!	\$ 126.76	\$178.54	\$205.32
SOG2	The SOG2 module contains a built-in GPS and outputs NMEA 0183 data and an analog paddlewheel signal that can be connected to a standard speed log. 0.01 knot resolution from 0.00 knots to 60.00 knots. No transducer/holes required in the boat!	\$ 179.07	\$252.21	\$290.04
T-60	Accurate Engine Water or Oil Temperature Gauge with Settable Alarms. Pre-programmed with sender curves for VDO, Faria, Teleflex, etc.	\$ 157.30	\$221.55	\$254.78
T-65	Displays temperature for 3 areas, -20 deg F (-29 deg C) to +140 deg F (60 deg C). Separate HI, LO alarms for each area. NMEA 0183 output 12/24V operation.	\$ 286.06	\$402.89	\$463.33
TL-55	Low cost Tank Level Gauge. High/Low alarms, works with all standard American and European senders. NMEA 0183 serial data output.	\$ 142.99	\$201.40	\$231.61
TL-60	Clever very accurate, Tank level Gauge learns three tanks. Displays Gallons / Litres or %. Separate High and Low alarms. NMEA 0183 data output.	\$ 286.06	\$402.89	\$463.33
UWSD10	With 30M (98 feet of shielded cable/w connectors. Ultrasonic, no moving parts, RS422 and NMEA 0183 output of wind speed, direction, air temperature.	\$ 757.13	\$1,066.38	\$1,226.34
V-55	Settable High and Low Voltage Alarms. NMEA 0183 serial data output.	\$ 142.99	\$201.40	\$231.61
V-60	Monitor up to Three Banks, Individual Settable Alarms, NMEA 0183 data output.	\$ 200.22	\$282.00	\$324.30
VAF-60	Multi-Featured - AC Volts, Amps, Frequency, Kilowatts. High and low AC/Volt/Frequency alarms, can also disable generator. Complete with voltage and current transformers. NMEA 0183 data output.	\$ 371.89	\$523.79	\$602.36
VAF-110	Multi-Featured - AC Volts, Amps, Frequency, Kilowatts. High and low AC/Volt/Frequency alarms, can also disable generator.can also disable Generator. Complete with voltage and current transformers. 110mm, large ICD, buttons. NMEA data output.	\$ 452.97	\$637.98	\$733.68
VAH-60	Accurate (like fuel gauge) Battery Monitor. Tracks current in and out of battery. Uses Peukert's law to display amp-hours or % charge. Low/High volts and low charge alarms. Calibrated 150 amp shunt provided. NMEA 0183 data output.	\$ 289.25	\$407.40	\$468.51
VAH-65	As VAH65 plus monitors up to Three Banks. 450 amp shunt. NMEA 0183 data output.	\$ 356.55	\$502.18	\$577.51
VAH-110	Like above but monitors volts for 3 batteries to 0.01 VDC, Amps to 0.1 amp and Amp-Hours for house bank. 450 amp shunt included. NMEA 0183 data output. 110mm, large LCD, buttons. User settable charger ON/OFF control. Peukert's law.	\$ 396.17	\$557.99	\$641.69
WSD-110	Displays wind speed, average wind speed, apparent wind speed, true wind speed and Velocity Made Good (VMG). Apparent wind speed/direction, true wind speed/direction, boat speed and VMG data is logged to a non-volatile memory providing up to 40 days of data. Serial logging data is ouput in comma delimited CSV (Excel) format. Requires UWSD10 or equivalent wind sensor.	\$ 326.91	\$460.44	\$529.51
WTP-65	Accurate sea water temperature to 0.1deg F/C. NMEA 0183 data output. Works with any standard 10Kohm thermistor temperature transducer or select an optional CruzPro THT-1 thru-hull or TMT-1 transom mount transducers available (see below).	\$ 157.30	\$221.55	\$254.78
WTP-110	Accurate sea water temperature to 0.01deg F/C. NMEA 0183 data output and Hi/Lo temperature alarms, trend indicator and Min/Max temp. memory. Works with standard 10Kohm thermistor transducers (CruzPro THT-1 thru-hull or TMT-1 transom mount transducers below) or popular 30Kohm Dytek temperature senders.	\$ 370.77	\$522.21	\$600.54
	ACCESSORIES			
BOL-1	10k ohm thermister temperature sensor with 5M (30 feet) cable. Potted in zinc plated copper lug with M12 hole. Suitable for use with T35/T65, WTP35/WTP65 digital gauges and spare temperature sensor for SAR20.	\$ 47.24	\$66.53	\$76.51
BWA-21	Spare stainless water sensor for BWA20, EFS10, EFS20	\$ 41.23	\$58.07	\$66.77

CH-11	Spare magnet for CH60, CH55 and CH110 Chain counter	\$ 3.07	\$4.33	\$4.98
CH-31	Spare sensor for CH60, CH55 and CH110 Chain Counter	\$ 12.54	\$17.66	\$20.31
DC-110	Replacement Dust/Rain Cover for 110 series instruments	\$ 14.11	\$19.88	\$22.86
DC-55/60/65	Replacement Dust/Rain Cover for 55/60/65 series SQUARE instruments	\$ 9.38	\$13.21	\$15.20
DI-31	Light sensor for DI60 light dimmer	\$ 85.49	\$120.41	\$138.48
GD-27	Spare LPG/Gasoline/Petrol sensor for GD20B & GD55 (blue color inside holder)	\$ 102.53	\$144.41	\$166.07
GT-1	Gear Tooth Sensor/w 1.7M (5 feet) cable. Nickel plated brass sensor 89mm (3.5") long, 16mm (5/8") dia. (M16x 1.5 threads).	\$ 78.79	\$110.97	\$127.61
SA-21	Spare magnet reed switch for SA20 security system	\$ 12.54	\$17.66	\$20.31
SA-22	Spare waterproof pressure sensor for SA20 security system	\$ 47.24	\$66.53	\$76.51
SH-50	50 amp shunt for A60, VAH60, VAH65, VAH110	\$ 55.21	\$77.76	\$89.42
SH-150	150 amp shunt for A60, VAH60, VAH65, VAH110	\$ 55.21	\$77.76	\$89.42
SH-450	450 amp shunt for A60, VAH65, VAH110	\$ 70.98	\$99.98	\$114.97
TH-1	Spare/Replacement Thermocouple probe for PY60. 3mm diameter 150 mm long stainless steel insulated tip 1100 deg C thermocouple probe with 150mm long leads. M8 thread.	\$ 126.11	\$177.62	\$204.26
TH-2	Spare/Replacement Thermocouple probe for PY60. 6.6mm (1/4 inch) diameter 65mm (2.6 inch) long stainless steel insulated tip 1100 deg C thermocouple probe with compression gland	\$ 126.11	\$177.62	\$204.26
THD-1	Plastic Thru-Hull Depth Transducer with 7.6M Cable 120 kHz for D-60. Transducer Size 1.825" OD x 2 7/8" Long (46.6mm OD x 71mm long)	\$ 110.33	\$155.40	\$178.71
THD-2	Plastic Thru-Hull Depth Transducer with 7.6M Cable 120 kHz for D110 w/ phone plug. Transducer Size 1.825" OD x 2 7/8" Long (46.6mm OD x 71mm long)	\$ 118.22	\$166.51	\$191.49
THD-4	Bronze Thru-Hull 120kHz Depth Transducer with phono plug for D110. Transducer Size 2" OD x 3 3/8" Long (50.8mm OD x 88mm Long)	\$ 315.39	\$444.22	\$510.85
THD-5	Long Stem Bronze 120kHz Thru-Hull Depth Transducer with phono plug for D110. Stem Size .825" x 5 1/16" Long (20.5mm OD x 128.5mm Long)	\$ 362.72	\$510.87	\$587.50
THDT-1	Plastic Thru-Hull Depth/Temp Transducer with 7.6M cable 120kHz Transducer for DTF-30. Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	\$ 126.11	\$177.62	\$204.26
THDT-2	Plastic Thru-Hull Depth/Temp Transducer 50/200kHz for PC Fishfinder. Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	\$ 173.43	\$244.27	\$280.91
THDT-4	Bronze Thru-Hull Depth/Temp 50/200kHz for PC Fishfinder. Transducer Size 2" OD x 3 3/8" Long (50.8mm OD x 88mm Long)	\$ 315.39	\$444.22	\$510.85
THDT-5	Long Stem Bronze Thru-Hull Depth/Temp 50/200kHz for PC Fishfinder. Stem Size .825" x 5 1/16" Long (20.5mm OD x 128.5mm Long)	\$ 362.72	\$510.87	\$587.50
THST-1	Plastic Thru-Hull Speed/Temp Transducer with 30' cable for SLT-60. Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	\$ 141.88	\$199.83	\$229.81
THST-2	Plastic Thru-Hull Speed/Temp Transducer with 30' cable for SLT110, MaxDS110 & MaxVu110 w/ 5pin Fuji connector. Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	\$ 157.66	\$222.05	\$255.36
THST-3	Bronze Retractable Thru-Hull Speed/Temp Transducer with 30' cable for SLT110, MaxDS110 & MaxVu110 w/ 5pin Fuji connector. Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	\$ 315.39	\$444.22	\$510.85
THT-3	Bronze Thru-Hull Water Temp Transducer with 30' cable for WTP-65, T65 or MaxVu110. Transducer Size 1/2" OD x 3 1/2" Long (12.5mm OD X 88mm Long)	\$ 78.79	\$110.97	\$127.61
TMD-1	Transom Depth Transducer with 25' cable 120kHz for D-30/D-60	\$ 94.56	\$133.18	\$153.16
TMD-2	Transom Depth Transducer with 25' cable 120kHz for D110 with phono plug	\$ 102.45	\$144.29	\$165.94
TMDT-1	Transom Depth/Temp Transducer with 25' cable 120kHz for DTF-30	\$ 110.33	\$155.40	\$178.71
TMDT-6	Plastic Transom Mount 50/200Khz Depth/Temperature Xducer with 7.6M cable for PC Fishfinder	\$ 157.66	\$222.05	\$255.36
TMST-1	Transom Speed/Temp Transducer with 25' cable for SLT-60	\$ 110.33	\$155.40	\$178.71
TMST-2	Transom Speed/Temp Transducer with 25' cable for SLT110, MaxDS110 and MaxVu110 with 5 pin Fuji connector	\$ 126.11	\$177.62	\$204.26
TMT-1	Plastic Transom water Temp with 30' cable for WTP-65 or T65 Or MaxVu110	\$ 63.01	\$88.75	\$102.06
VTCT-5	Spare Volts / Current Transformer Assy. For VAF-60/VAF-110	\$ 94.56	\$133.18	\$153.16